


INSTALLATION INSTRUCTIONS GLOCK 17 GEN 5

DPM PART LIST



DPM System's Fitting Parts


- | | |
|---------------------|--------------------------------|
| 1. DPM Recoil Rod | 2. Small washer |
| 3. Medium washer | 4. Long washer |
| 5. Safety Pin | 5a. Recoil Rod Assembling Hole |
| 6. Compressive Disc | 7. Small Spring |
| 8. Medium Spring | 9. Long Spring |



WARNINGS: Before the installation read and follow the operating and safety instructions.

1. Place one of the three Springs (Part 7, 8 or 9) to the DPM Recoil Rod (Part 1), then place one Washer (Part 2, 3 or 4) with the Small diameter (**Fig. 8**) to the Spring's free side and use the Compressive Disc (Part 6) to compress the system. **Fig. 1**

Fig. 1






Fig. 2

2. Compress at the same time the Spring and the Compressive Disc until you have clear view to the Recoil Rod Assembling Hole (5a) and insert the Safety Pin (Part 5) to block the Washer temporary **Fig. 2 a,b**



3. Remove the Compressive Disc (Part 6) **Fig. 3**

4. The DPM Rod is ready for installation, place the DPM Rod in the slide hole (**Fig. 4**) and press the base of the Recoil Rod and finally, remove the Safety Pin (**Fig. 5**) and let the Recoil Rod base to travel back and to click on the correct position of the barrel. **Fig. 6**






Fig. 4

Fig. 5



5. Assemble the slide on the frame and before loading the magazine, function (open and close) the slide several times to ensure that the DPM Rod functions unrestricted.

SUGGESTIONS FOR ADJUSTABILITY



COMPETITION AMMUNITION

Small washer with Small/Soft or Medium Spring

FACTORY AMMUNITION

Medium washer with Medium or Long/Hard Spring

HEAVY AMMUNITION P++

Long washer with Long/Hard or Medium Spring


Feel free to try any possible combination of washer and spring for your ammunition.

The DPM Recoil Rod must not protrude from the slide when the installation is done correctly **Fig. 7**.

Fig. 7



ATTENTION: Always be sure that you install the Washer in the correct direction **Fig. 8**.



WARNINGS: Always read and follow the operating and safety instructions for the use of this recoil accessory. Always wear safety goggles and wear other appropriate safety items for protection. Only use this product for the purpose it was designed. Modification or alteration of this product will void all warranties and may reduce its safety and the function of your pistol.

DPM Systems Technologies, its affiliates, distributors or resellers are not responsible for damage or injuries sustained during the proper or improper use of this product.

For any Questions about the Installation or Operating instructions:
service@dpmstystems.com | www.dpmstystems.com